

Human periodontal ligament fibroblasts synthesize C-reactive protein and Th-related cytokines in response to interleukin (IL)-6 trans-signalling

Hernández-Caldera A.

Vernal R.

Paredes R.

Veloso-Matta P.

Astorga J.

Hernández M.

Aim: To characterize the potential of human periodontal ligament fibroblasts (HPLF) to synthesize CRP and Th-related cytokines in response to IL-6 in periodontal health and apical inflammation.

Methodology: Primary HPLF stimulated with IL-6, soluble(s) IL-6 receptor (R) and controls were assayed for CRP, Th1, Th2, Th17 and Treg-related cytokines by quantitative real-time PCR and ELISA, respectively. IL-6R mRNA expression and its soluble protein levels were screened in HPLF cultures, and ex vivo samples of healthy periodontal ligaments (n = 5) and apical lesions (n = 13).

Data were analysed with ANOVA or unpaired t-test. Results: 0.5 ng mL⁻¹ IL-6 plus 1 ng mL⁻¹ of its soluble receptor (sIL-6R) for 24 h was effective in inducing CRP production. IL-6 alone had a mild dose-dependent effect; co-stimulation with sIL-6R significantly enhanced this effect, whereas it was completely abolished by the addition of IL-6R blocking antibody (P < 0.05). Similarly, higher mRNA expression and protein levels of Th1, Th17 and partially Treg-related cytokines were found for IL-6 combined with its soluble receptor versus the nonstimulated group and IL-6R antibody (P < 0.05). IL-6R mRNA expression was slightly induced by IL-6 compared to THP-1 cells, but sIL-6 protein could not be detected in HPLF. High sIL-6R levels were detected in apical lesions and were immunolocalized to mononuclear inflammatory cells and proliferating epithelium. Conclusion: IL-6 trans-signalling induced Th1 and Th17-related cytokines and represents an extra-hepatic mechanism for PCR synthesis in human periodontal ligament fibroblasts, contributing to explain the bone-destructive phenotype of apical lesions and eventually its systemic complications. © 2017

C-reactive protein

interleukin-6

interleukin-6 receptor

periodontal ligament fibroblast

Th cytokines

autacoid

C reactive protein

interleukin 1

interleukin 17

interleukin 2

interleukin 6

interleukin 6 receptor

biosynthesis

cell culture

cytology

enzyme linked immunosorbent assay

fibroblast

human

metabolism

periodontal ligament

physiology

real time polymerase chain reaction

signal transduction

C-Reactive Protein

Cells, Cultured

Enzyme-Linked Immunosorbent Assay

Fibroblasts

Humans

Inflammation Mediators

Interleukin-1

Interleukin-17

Interleukin-2

Interleukin-6

Periodontal Ligament

Real-Time Polymerase Chain Reaction

Receptors, Interleukin-6

Signal Transduction