## Impact of exercise training after bariatric surgery on cardiometabolic risk factors: a systematic review and meta-analysis of controlled trials

Carretero-Ruiz, A.
Martínez-Rosales, E.
Cavero-Redondo, I.
Álvarez-Bueno, C.
Martínez-Vizcaíno, V.
Gómez Navarro, C.
Reyes Parrilla, R.
Ferrer-Márquez, M.
Soriano-Maldonado, A.
Artero, E.G.

## Abstract

The purpose of this systematic review was to provide updated evidence synthesis of the effectiveness of exercise training in patients with obesity undergoing bariatric surgery to improve cardio-metabolic risk. We systematically searched the MEDLINE, EMBASE, Scopus, Cochrane, and Web of Science databases. The studies selected were those in which an exercise-based intervention was performed after bariatric surgery, a control group was present, and at least one of the following outcomes was investigated: VO<sub>2max</sub> or VO<sub>2peak</sub>, resting heart rate (RHR), blood pressure, lipid profile, glucose, and insulin. The study quality was assessed using the PEDro scale and the data were meta-analyzed with a random effects model, comparing control groups to intervention groups using standardized measurements. Twenty articles were included in the systematic review and fourteen (70%) in the meta-analysis. Significant differences were observed between the control and intervention groups (always in favor of exercise) for absolute  $VO_{2max}$  /  $VO_{2peak}$  (ES = 0.317; 95% CI = 0.065, 0.569; p = 0.014),  $VO_{2max}$  / peak relative to body weight (ES = 0.673; 95% CI = 0.287, 1.060; p = 0.001), HDL cholesterol (ES = 0.22; 95% CI = 0.009, 0.430; p = 0.041) and RHR (ES = -0.438; 95% CI = -0.753, -0.022; p = 0.007). No effects were observed for either systolic or diastolic blood pressure. Exercise training for patients undergoing bariatric surgery appears to be effective in improving absolute and relative VO<sub>2max</sub> / VO<sub>2peak</sub>, HDL cholesterol and reducing the RHR. More intervention studies using (better) exercise interventions are needed before discarding their effects on other cardiometabolic risk factors. This systematic review and meta-analysis has been registered in Prospero (CRD42020153398).

Author keywords Bariatric surgery Blood pressure Cardiovascular Exercise training VO<sub>2max</sub>